

# Product datasheet

Specifications



## RACK PDU, BASIC, VERTICAL, 220-240V, 32A, (20) C13, (6) C19

AP6009A

### Overview

Lead time Usually in Stock

### Main

|                           |                                    |
|---------------------------|------------------------------------|
| Product or component type | PDU                                |
| PDU type                  | Basic                              |
| Cord length               | 3 m                                |
| Number of cables          | 1                                  |
| Provided equipment        | Installation guide<br>Safety guide |

### Complementary

|                          |                                     |
|--------------------------|-------------------------------------|
| Input Voltage            | 230 V                               |
| Height                   | 1626 mm                             |
| Width                    | 56 mm                               |
| Output Voltage           | 230 V                               |
| Depth                    | 43 mm                               |
| Net weight               | 6.18 kg                             |
| Mounting location        | Side                                |
| Mounting preference      | No preference                       |
| Input Plug Type          | IEC 60309 32 A 2P + E               |
| Mounting mode            | Not rack-mountable                  |
| Rack units               | 0U                                  |
| Mounting position        | Vertical                            |
| permissible voltage      | 200...240 V                         |
| Input current limits     | 32 A                                |
| Load capacity            | 7400 VA                             |
| Network frequency        | 50/60 Hz                            |
| Outlet type and quantity | 20 IEC 60320 C13<br>6 IEC 60320 C19 |

### Environment

|  |                          |
|--|--------------------------|
| <b>Product certifications</b>                | CE<br>EAC<br>IRAM<br>VDE |
| <b>Ambient air temperature for operation</b> | 0...50 °C                |
| <b>Relative humidity</b>                     | 5...95 %                 |
| <b>Operating altitude</b>                    | 0...10000 ft             |
| <b>Ambient air temperature for storage</b>   | -15...65 °C              |
| <b>Storage Relative Humidity</b>             | 5...95 %                 |
| <b>Storage altitude</b>                      | 0...15240 m              |

## Packing Units

|                                     |          |
|-------------------------------------|----------|
| <b>Unit Type of Package 1</b>       | PCE      |
| <b>Number of Units in Package 1</b> | 1        |
| <b>Package 1 Height</b>             | 187.5 cm |
| <b>Package 1 Width</b>              | 13.5 cm  |
| <b>Package 1 Length</b>             | 22.6 cm  |
| <b>Package 1 Weight</b>             | 8 kg     |

## Contractual warranty

|                             |    |
|-----------------------------|----|
| <b>Warranty (in months)</b> | 24 |
|-----------------------------|----|

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint 4481

Environmental Disclosure [Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant

SCIP Number 1cdb2fed-a06f-4574-913d-8df8e70936b2

REACH Regulation [REACH Declaration](#)

Halogen-free status Product contains halogen above thresholds

### Energy efficiency

Energy Efficiency Optimized Energy efficient product

## Use Again

### Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back No

WEEE Label  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

