

Product datasheet

Specifications



APC NetShelter Basic Rack PDU,
0U, 1PH, 3.3kW, 100-240V 20A or
200-240V 16A, 13 C13 outlets,
C20 inlet

AP6020A

Overview

Presentation Reliable rack power distribution designed to increase manageability and efficiency in the data center. The output and input connections are (13) C13. Real-time remote monitoring of connected loads. User-defined alarms warn IT and data center managers of potential circuit overloads to prevent accidental power loss to critical equipment.

Lead time Usually in Stock

Main

Colour Black

Product or component type PDU

PDU type Basic

Provided equipment Installation guide
Safety guide

Complementary

Input Voltage 100 V
120 V
200 V
208 V
230 V
240 V

Height 388 mm

Width 44 mm

Depth 93 mm

Net weight 1.5 kg

Mounting location Front
Rear

Mounting preference Lower

Input Plug Type IEC 60320 C20

Mounting mode Not rack-mountable

Rack units 1U

USB compatible No

Mounting position Horizontal

[In] rated current 16 A

permissible voltage 100...240 V

Max line current 20 A

Input current limits 20 A

Load capacity	3300 VA
Network frequency	50/60 Hz
Outlet type and quantity	13 IEC 60320 C13

Environment

Product certifications	cUL listed CE EAC IRAM PSE UL listed VDE
------------------------	--

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	43.6 cm
Package 1 Width	7.6 cm
Package 1 Length	21 cm
Package 1 Weight	2.02 kg
SCC14	10731304327803

Contractual warranty

Warranty (in months)	24
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint 3734

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard Yes

Packaging without single use plastic No

[EU RoHS Directive](#) Compliant

SCIP Number 1cdb2fed-a06f-4574-913d-8df8e70936b2

REACH Regulation [REACH Declaration](#)

Halogen-free status Product contains halogen above thresholds

Energy efficiency

Energy Efficiency Optimized Energy efficient product

Use Again

Repack and remanufacture

End of life manual availability [End of Life Information](#)

Take-back No


WEEE Label  The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

