

Product datasheet

Specifications



In-Line Current Meter, 32A, 230V, IEC309-32A, 2P+G



AP7155B

Overview

Lead time Usually in Stock

Main

Product or component type	PDU
Cord length	0.9 m
Number of cables	1
Provided equipment	Documentation CD Rack mounting brackets RS-232 configuration cable

Complementary

Input Voltage	230 V
Height	44 mm
Width	178 mm
Output Voltage	230 V
Depth	140 mm
Net weight	2.25 kg
Mounting location	Top
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 2P + E
Mounting mode	Rack-mounted
Rack units	0U
Mounting position	Vertical
permissible voltage	220...250 V
Max line current	32 A
Input current limits	32 A
Load capacity	7360 VA
Number of power socket outlets	1
Network frequency	50/60 Hz
Outlet type and quantity	1 IEC 60309 32 A 2P + E

Environment

Product certifications	AS/NZS 3548 (C-Tick) class A C-Tick CE GOST VDE
Standards	EN 55022 class A EN 55024 EN 61000-3-2 EN 61000-3-3 IEC 61000-3-2 IEC 61000-3-3
Ambient air temperature for operation	-5...45 °C
Relative humidity	5...95 %
Operating altitude	0...10000 ft
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	5...95 %
Storage altitude	0...15240 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24.6 cm
Package 1 Width	18.5 cm
Package 1 Length	33 cm
Package 1 Weight	2.89 kg

Contractual warranty

Warranty (in months)	24
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	2907
----------------------------------	------

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
--	-----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant with Exemptions
-----------------------------------	---------------------------

SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
-------------	--------------------------------------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Halogen-free status	Product contains halogen above thresholds
---------------------	---

Energy efficiency

Energy Efficiency Optimized	Energy efficient product
-----------------------------	--------------------------

Use Again

Repack and remanufacture

End of life manual availability	End of Life Information
---------------------------------	---

Removable battery	Yes
-------------------	-----

Take-back	No
-----------	----


WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------------	---

Image of product / Alternate images

Alternative



