Product datasheet

Specifications

SMARTSLOT EXPANSION CHASSIS

AP9600

⚠ Discontinued on: 15 Sept 2025

⚠ **Discontinued**

Overview

Presentation	UPS management accessory that provides additional SmartSlot interface to your APC SmartSlot UPS.
Lead time	Usually in Stock

Main

Provided equipment	User manual Mounting pads
Number of cables	1

General

Power supply type	Self powered via UPS interface port

Physical

Colour	Beige
Net weight	0.91 kg
Width	12.7 cm
Height	6.4 cm
Depth	13.3 cm
Mounting location	Front
Mounting mode	Not rack-mountable
Mounting preference	No preference

Conformance

Standards	EN 55022 class B FCC part 15 class B
Product certifications	C-Tick CE DOC/Industry Canada VCCI

Environmental

Storage Relative Humidity	0…95 %
Relative humidity	0…95 %
Ambient air temperature for storage	-15…65 °C

Ambient air temperature for operation	0…40 °C
Storage altitude	0…15240 m
Operating altitude	0...10000 ft

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Contractual warranty

Warranty (in months)	24

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained 〉

How we assess product sustainability 〉

Use Better

Materials and Substances

EU RoHS Directive	**Pro-active compliance (Product out of EU RoHS legal scope)**
REACh Regulation	**REACh Declaration**

Energy efficiency

Energy Efficiency Optimized	**Energy efficient product**

Use Again

Repack and remanufacture

End of life manual availability	**End of Life Information**
Take-back	**Yes**
WEEE Label	**The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**

Image of product / Alternate images

Alternative