

# Product datasheet

Specifications



Device monitoring and management, Network Management Cards, NMC3 with Environmental Monitoring, secure remote UPS monitoring and management

AP9641

## Overview

**Lead time** Usually in Stock

## Main

**Range of product** Network Management Cards

**Range compatibility**

- Galaxy VM
- Galaxy VX
- Symmetra PX
- Easy UPS 3M Advanced
- Easy UPS 3-Phase Modular
- Galaxy PX
- Galaxy 3L Pro
- Smart-UPS
- Smart-UPS Ultra
- Smart-UPS Online
- Smart-UPS Modular Ultra
- Smart-UPS Battery Systems
- Back-UPS SX3
- Refurbished Smart-UPS

**Product or component type** Device monitoring and management

**Provided equipment**

- Temperature sensor
- Micro-USB cable
- Installation manual

**Number of input phases**

- 1
- 3

**Standards**

- EN 55024
- BS EN 55024
- EN 61000-4-2
- BS EN 61000-4-2
- EN 61000-4-3
- BS EN 61000-4-3
- EN 61000-4-4
- BS EN 61000-4-4
- EN 61000-4-5
- BS EN 61000-4-5
- EN 61000-4-6
- BS EN 61000-4-6
- EN 61000-4-8
- BS EN 61000-4-8
- EN 61000-4-11
- BS EN 61000-4-11
- EN 55035
- BS EN 55035
- EN 62040-2
- BS EN 62040-2
- EN 61326-2
- BS EN 61326-2
- ICES-003 class A
- VCCI class A
- EN 61000-6-3
- BS EN 61000-6-3
- EN 55032: class A
- BS EN 55032: class A

## General

Variant option	Environmental monitoring
----------------	--------------------------

## Physical

Net weight	0.09 kg
------------	---------

Width	12.1 cm
-------	---------

Height	3.8 cm
--------	--------

Depth	11.4 cm
-------	---------

## Conformance

Product certifications	FCC Class A AS/NZS AS/NZS 3548 (C-Tick) class A FCC part 15 class A GOST UK PSTI
------------------------	---

## Environmental

Storage Relative Humidity	0...95 %
---------------------------	----------

Relative humidity	0...95 %
-------------------	----------

Ambient air temperature for storage	-15...65 °C
-------------------------------------	-------------

Ambient air temperature for operation	-5...45 °C
---------------------------------------	------------

Storage altitude	0...15240 m
------------------	-------------

Operating altitude	0...10000 ft
--------------------	--------------

## Communications & Management

Communication network type	10/100/1000BASE-T
----------------------------	-------------------

Authentication	Radius Lightweight Directory Access Protocol (LDAP)
----------------	--

Communication port protocol	HTTP over secure sockets Layer (HTTPS) SSH FTP HTTP SNMP DHCP BOOTP (Bootstrap Protocol) TCP/IP
-----------------------------	---

## Packing Units

Unit Type of Package 1	PCE
------------------------	-----

Number of Units in Package 1	1
------------------------------	---

Package 1 Height	5.200 cm
------------------	----------

Package 1 Width	16.400 cm
-----------------	-----------

Package 1 Length	24.000 cm
------------------	-----------

Package 1 Weight	405.000 g
------------------	-----------

## Contractual warranty

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint	123
----------------------------------	-----

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

<a href="#">EU RoHS Directive</a>	Compliant
-----------------------------------	-----------

SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
-------------	--------------------------------------

REACH Regulation	<a href="#">REACH Declaration</a>
------------------	-----------------------------------

### Energy efficiency

Energy Efficiency Optimized	Energy efficient product
-----------------------------	--------------------------

## Use Again

### Repack and remanufacture

End of life manual availability	<a href="#">End of Life Information</a>
---------------------------------	---

Removable battery	Yes
-------------------	-----

Take-back	No
-----------	----

WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------------	---

Image of product / Alternate images

Alternative

---

