



Device monitoring and management, Network Management Cards, NMC3 with Environmental Monitoring and Modbus, secure remote UPS monitoring and management

AP9643

Usually in Stock

Overview

Lead time

Range of product	Network Management Cards	
Range compatibility	Galaxy VM	
	Galaxy VX	
	Symmetra PX	
	Smart-UPS	
	Smart-UPS Ultra	
	Smart-UPS On-Line	
	Smart-UPS Modular Ultra	
	Smart-UPS Battery Systems	
	Back-UPS SX3	
	Refurbished Smart-UPS	
Product or component type	Device monitoring and management	
Provided equipment	Temperature sensor	
	Micro-USB cable	
	Installation manual	
Number of input phases	1	
	3	
Standards	EN 61000-4-2	
	BS EN 61000-4-2	
	EN 61000-4-3	
	BS EN 61000-4-3	
	EN 61000-4-4	
	BS EN 61000-4-4	
	EN 61000-4-5	
	BS EN 61000-4-5	
	EN 61000-4-6	
	BS EN 61000-4-6	
	EN 61000-4-8	
	BS EN 61000-4-8	
	EN 61000-4-11	
	BS EN 61000-4-11	
	BS EN 55024	
	EN 55035	
	BS EN 55035	
	EN 62040-2	
	BS EN 62040-2	

General

EN 55011:A1 EN 55024:A1 EN 55032:class A VCCI class A ICES-003:issue 6 BS EN 55032:class A BS EN 55011:A1

Variant option	Environmental monitoring with Modbus
Physical	
Net weight	0.14 kg
Width	12.1 cm
Height	3.8 cm

Conformance

Depth

Product certifications	FCC Class A
	AS/NZS

10.8 cm

Environmental

Storage Relative Humidity	095 %
Relative humidity	095 %
Ambient air temperature for storage	-1565 °C
Ambient air temperature for operation	-545 °C
Storage altitude	015240 m
Operating altitude	010000 ft

Communications & Management

Communication network type	10/100/1000BASE-T	
Authentication	Radius Lightweight Directory Access Protocol (LDAP)	
Communication port protocol	HTTP over secure sockets	
	Layer (HTTPS)	
	SSH	
	FTP	
	HTTP	
	SNMP	
	DHCP	
	BOOTP (Bootstrap Protocol)	
	TCP/IP	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.1 cm
Package 1 Width	15.9 cm
Package 1 Length	23.5 cm
Package 1 Weight	0.91 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint		
Total lifecycle Carbon footprint	195	

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	F4c2965e-f80d-4830-8cd4-be926afb0f45
REACh Regulation	REACh Declaration
Energy Efficiency Optimized	Energy efficient product

Use Again

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Removable battery	Yes
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins