

# Product datasheet

Specifications



## Power Cord, C13 to C20, 2.0m

AP9879



### Overview

Lead time	Usually in Stock
-----------	------------------

### Main

Product or component type	Power cord
Input Connection Type	IEC 60320 C20
Cable length	1.98 m
Number of cables	1

### Physical

Colour	Black
Net weight	0.36 kg
Mounting preference	No preference
Mounting mode	Not rack-mountable

### Input

Max line current	10 A
------------------	------

### Output

Max current draw	10 A
Number of power socket outlets	1 IEC 60320 C13

### Conformance

Product certifications	UL listed
------------------------	-----------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.900 cm
Package 1 Width	9.900 cm
Package 1 Length	30.000 cm
Package 1 Weight	467.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	4

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	2.288 kg
Unit Type of Package 3	P12
Number of Units in Package 3	32
Package 3 Height	45.000 cm
Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	30.304 kg

## Contractual warranty


Warranty (in months)	24
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	25
Use Better	
Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
SCIP Number	1cdb2fed-a06f-4574-913d-8df8e70936b2
REACH Regulation	<a href="#">REACH Declaration</a>
Halogen-free status	Product contains halogen above thresholds
Energy efficiency	
Energy Efficiency Optimized	Energy efficient product
Use Again	
Repack and remanufacture	
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins