Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC



APC Replacement Battery Cartridge #105 with 2 Year Warranty

APCRBC105

Overview

Lead time Usually in Stock

Main

Product or component type	Replacement battery cartridge	
Number of cables	1	
Battery type	Lead-acid battery	
Provided equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure Reusable packaging Installation guide	

Batteries & Runtime

Number of battery free slots	0	
Number of battery filled slots	0	
Device mounting	Enclosed battery cartridge	
Battery voltage	48 V	
Additional information	The SUA48RMXLBP3U requires two(2) APCRBC105	
Number of battery replacement quantity	1	

Physical

Height	108 mm
Width	165 mm
Depth	572 mm
Net weight	24.55 kg
Mounting mode	Not rack-mountable

Environmental

Ambient air temperature for operation	040 °C
Operating altitude	010000 ft
Relative humidity	095 %
Ambient air temperature for storage	-545 °C
Storage altitude	015240 m
Storage Relative Humidity	095 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	27.900 cm
Package 1 Width	31.100 cm
Package 1 Length	73.700 cm
Package 1 Weight	26.360 kg
Unit Type of Package 2	P12
Number of Units in Package 2	6
Package 2 Height	82.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	170.160 kg

Contractual warranty

Warranty (in months)

24



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint		
Total lifecycle Carbon footprint	170	

Use Better

⊗ Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
Energy Efficiency Optimized	Energy efficient product

Use Again

○ Repack and remanufacture		
End of life manual availability	End of Life Information	
Take-back	No	
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	

Product datasheet

APCRBC105

Image of product / Alternate images

Alternative

