



APC Replacement Battery Cartridge #164 with 2 Year Warranty

APCRBC164

Overview

Lead time Usually in Stock

Main

Main Input Voltage	12 V DC	
Product or component type	Replacement battery cartridge	
Battery type	Lead-acid battery	
Provided equipment	Installation guide	

Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Battery voltage	12 V
Number of battery replacement quantity	1

Physical

Colour	Black
Height	105 mm
Width	151 mm
Depth	65 mm
Net weight	3 kg
Mounting mode	Not rack-mountable

Output

Battery capacity 9.4 Ah

Environmental

Ambient air temperature for operation	045 °C
Operating altitude	010000 ft
Relative humidity	095 % non-condensing
Ambient air temperature for storage	-1545 °C
Storage altitude	015240 m
Storage Relative Humidity	095 % non-condensing

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.9 cm
Package 1 Width	21.3 cm
Package 1 Length	17.5 cm
Package 1 Weight	3.5 kg
SCC14	10731304346866

Contractual warranty

Warranty (in months)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∇ Environmental footprint		
Total lifecycle Carbon footprint	22	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
᠃ Energy efficiency	
Energy Efficiency Optimized	Energy efficient product

Use Again

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	No