Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

APC



APC Replacement Battery Cartridge #166 with 2 Year Warranty

APCRBC166

Overview

Lead time Usually in Stock

Main

| Main Input Voltage | 12 V DC |
|---------------------------|-------------------------------|
| Product or component type | Replacement battery cartridge |
| Battery type | Lead-acid battery |
| Provided equipment | Installation guide |

Batteries & Runtime

| Number of battery free slots | 0 |
|--|---|
| Number of battery filled slots | 0 |
| Number of battery replacement quantity | 1 |

Physical

| Colour | Black |
|---------------|--------------------|
| Height | 76 mm |
| Width | 152 mm |
| Depth | 203 mm |
| Net weight | 5.59 kg |
| Mounting mode | Not rack-mountable |

Environmental

| Ambient air temperature for operation | 045 °C |
|---------------------------------------|----------------------|
| Operating altitude | 010000 ft |
| Relative humidity | 095 % non-condensing |
| Ambient air temperature for storage | -545 °C |
| Storage Relative Humidity | 095 % non-condensing |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|---------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 14.6 cm |

| Package 1 Width | 27.5 cm |
|------------------|----------------|
| Package 1 Length | 23.4 cm |
| Package 1 Weight | 5.83 kg |
| SCC14 | 10731304346880 |

Contractual warranty

Warranty (in months)

24



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ⊘ Environmental footprint | | |
|----------------------------------|----|--|
| Total lifecycle Carbon footprint | 39 | |

Use Better

| Packaging made with recycled cardboard | Yes |
|--|--|
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACh Regulation | REACh Declaration |
| | |
| Energy Efficiency Optimized | Energy efficient product |

Use Again

| ○ Repack and remanufacture | |
|---------------------------------|-------------------------|
| End of life manual availability | End of Life Information |
| Take-back | No |