



APC Replacement Battery Cartridge, VRLA, 10Ah, 24V DC, 2-year warranty

APCRBCV207

Overview

Lead time Usually in Stock

Main

| Product or component type | Replacement battery cartridge | |
|---------------------------|--------------------------------|--|
| Main Output Voltage | 24 V DC | |
| Number of rack unit | 0U | |
| Battery type | VRLA | |
| Range of product | Replacement Battery Cartridges | |

Batteries & Runtime

| Battery location | Internal battery |
|-------------------------------------|------------------|
| Number of battery blocks per string | 2 |
| Number of battery free slots | 0 |
| Number of battery filled slots | 0 |
| Battery voltage | 24 V |
| Number of battery replacement | 1 |

quantity

Physical

| Height | 106 mm |
|----------------|--------------------|
| Width | 130 mm |
| Depth | 151 mm |
| Net weight | 6.1 kg |
| Mounting mode | Not rack-mountable |
| USB compatible | No |

Output

Battery capacity 10 Ah

Conformance

Product certifications СВ

Environmental

| Ambient air temperature for operation | 040 °C |
|---------------------------------------|-----------------------|
| Operating altitude | 03000 m |
| Relative humidity | 095 % non-condensing |
| Ambient air temperature for storage | -1540 °C |
| Storage altitude | 03000 m |
| Storage Relative Humidity | 1095 % non-condensing |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|-----------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 18.000 cm |
| Package 1 Width | 18.300 cm |
| Package 1 Length | 20.500 cm |
| Package 1 Weight | 6.468 kg |

Contractual warranty

Warranty (in months)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ☑ Environmental footprint | | |
|----------------------------------|----|--|
| Total lifecycle Carbon footprint | 44 | |

Use Better

| Packaging made with recycled cardboard | No |
|----------------------------------------|------------------------------------------------------------|
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| SCIP Number | 9d64af64-ba09-487b-83a8-542c851816cc |
| REACh Regulation | REACh Declaration |
| [™] Energy efficiency | |
| Energy Efficiency Optimized | Energy efficient product |

Use Again

| ○ Repack and remanufacture | | |
|---------------------------------|-----------------------------------------------------------------------------------------------------------------------------|--|
| End of life manual availability | End of Life Information | |
| Take-back | No | |
| WEEE Label | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins | |

Product datasheet

APCRBCV207

Image of product / Alternate images

Alternative

