

# Product datasheet

Specifications



## Sliding Shelf 200lbs/91kg Black

AR8128BLK



### Overview

|                     |   |
|---------------------|---|
| <b>Presentation</b> | Sliding shelf to enable the mounting of tower units, monitors, and other equipment into the rack environment. |
| <b>Lead time</b>    | Usually in Stock  |

### Main

|                                  |  |
|----------------------------------|--|
| <b>Product or component type</b> | Shelf  |
| <b>Number of rack unit</b>       | 1U   |
| <b>Number of cables</b>          | 1  |
| <b>Provided equipment</b>        | Installation guide<br>Mounting hardware<br>4 x retaining clips |

### Physical

|                                   |                |
|-----------------------------------|----------------|
| <b>Colour</b>                     | Black          |
| <b>Height</b>                     | 44 mm          |
| <b>Width</b>                      | 445 mm         |
| <b>Depth</b>                      | 721 mm         |
| <b>Net weight</b>                 | 15.91 kg       |
| <b>Mounting location</b>          | Front          |
| <b>Mounting preference</b>        | No preference  |
| <b>Mounting mode</b>              | Rack-mounted   |
| <b>Maximum mounting depth</b>     | 1016 mm        |
| <b>Minimum mounting depth</b>     | 711.2 mm       |
| <b>Permanent permissible load</b> | 90.7 kg static |

### Conformance

|                  |          |
|------------------|----------|
| <b>Standards</b> | EIA-310D |
|------------------|----------|

### Packing Units

|                                     |         |
|-------------------------------------|---------|
| <b>Unit Type of Package 1</b>       | PCE     |
| <b>Number of Units in Package 1</b> | 1       |
| <b>Package 1 Height</b>             | 21.6 cm |
| <b>Package 1 Width</b>              | 92.7 cm |
| <b>Package 1 Length</b>             | 64.8 cm |

---

|                  |           |
|------------------|-----------|
| Package 1 Weight | 21.315 kg |
|------------------|-----------|

## Contractual warranty

---

|                      |    |
|----------------------|----|
| Warranty (in months) | 24 |
|----------------------|----|



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

|                                  |    |
|----------------------------------|----|
| Total lifecycle Carbon footprint | 75 |
|----------------------------------|----|

## Use Better

### Materials and Substances

|  |    |
|--|----|
| Packaging made with recycled cardboard | No |
|--|----|

|                                      |    |
|--------------------------------------|----|
| Packaging without single use plastic | No |
|--------------------------------------|----|

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

## Use Again

### Repack and remanufacture

|                                 |   |
|---------------------------------|---|
| End of life manual availability | <a href="#">End of Life Information</a> |
|---------------------------------|---|

|           |    |
|-----------|----|
| Take-back | No |
|-----------|----|

WEEE Label


 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

