

Product datasheet

Specifications



APC NetShelter SX Advanced
Rack, High Strength, 48U, 2258H
x 750W x 1295D mm, with Shock
Package, Black

AR9557SPB2

Overview

Lead time Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	48U
Provided equipment	Baying hardware Key(s) Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	2256 mm
Width	750 mm
Depth	1295 mm
Net weight	288 kg
Colour	Black
Mounting preference	No preference
Mounting mode	Not rack-mountable
Maximum mounting depth	1143 mm
Minimum mounting depth	292 mm
Rack width	19"
Marking	12 gauge EIA mounting rail 16 gauge front door 16 gauge post 18 gauge rear door 18 gauge roof 18 gauge side panels
Permanent permissible load	1927.8 kg static 1587.6 kg dynamic

Conformance

Standards EIA-310E
UL 2416

Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1	1
Package 1 Height	249.2 cm
Package 1 Width	110.5 cm
Package 1 Length	146 cm
Package 1 Weight	368 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	2999
----------------------------------	------

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
SCIP Number	31346aed-552c-4a16-81d9-e683a383b6da
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

