

Product datasheet

Specifications



Easy Rack PDU, Switched, 0U, 3 Phase, 22kW, 230V, 32A, 18 C13 and 6 C19 outlets, IEC60309 3P + N + PE inlet

EPDU1232S

⚠ To be discontinued

⚠ Discontinued on: 6 June 2025

⚠ To be end-of-service on: 31 Dec 2025

Overview

Lead time Usually in Stock

Main

Colour Black

Product or component type PDU

PDU type Switched

Provided equipment Installation guide

Complementary

Input Voltage 400 V 3 phases

Height 1794 mm

Width 55 mm

Output Voltage 230 V

Depth 62 mm

Net weight 8.17 kg

Mounting location Side

Mounting preference No preference

Input Plug Type IEC 60309 32 A 3P + N + PE

Mounting mode Rack-mounted

Mounting position Vertical

Input current limits 32 A

Load capacity 22 kW

Network frequency 50/60 Hz

Plug standard IEC 60309

Outlet type and quantity 18 IEC 60320 C13
6 IEC 60320 C19

Environment

Product certifications	CE EAC RCM TÜV
Ambient air temperature for operation	-5...45 °C
Relative humidity	5...95 %
Operating altitude	0...3000 m
Ambient air temperature for storage	-25...65 °C
Storage Relative Humidity	5...95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	195 cm
Package 1 Width	16 cm
Package 1 Length	11 cm
Package 1 Weight	9.45 kg

Contractual warranty

Warranty (in months)	12
-----------------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	1754
----------------------------------	------

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant
-----------------------------------	-----------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Energy efficiency

Energy Efficiency Optimized	Energy efficient product
-----------------------------	--------------------------

Use Again

Repack and remanufacture

End of life manual availability	End of Life Information
---------------------------------	---

Take-back	No
-----------	----

WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
------------	---