

Product datasheet

Specifications



APC Easy Rack, 42U, Black, With Roof, Castors, Feet, 4 Brackets, and Side Panels, No Bottom, 1991H x 600W x 1200D mm

ER6222

Overview

Lead time Usually in Stock

Main

Product or component type	Rack enclosure
Number of rack unit	42U
Provided equipment	Baying hardware Key(s) Keyed-alike doors and side panels Leveling feet Mounting hardware Pre-installed casters Side panels

Physical

Height	1991 mm
Width	600 mm
Depth	1200 mm
Net weight	108.6 kg
Colour	Black
Mounting mode	Not rack-mountable
Rack width	19"
Marking	18 gauge front door 19 gauge rear door 16 gauge post 14 gauge EIA mounting rail
Permanent permissible load	1199.8 kg static 599.6 kg dynamic

Conformance

Standards	UL 60950-1 UL 2416 EIA-310E
-----------	-----------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	212 cm
Package 1 Width	65 cm

Package 1 Length	125 cm
Package 1 Weight	116 kg
Pallet layers	1

Contractual warranty

Warranty (in months)	60
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	381
----------------------------------	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
----------------------------------------	----

Packaging without single use plastic	No
--------------------------------------	----

[EU RoHS Directive](#)

Pro-active compliance (Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

Use Again

Repack and remanufacture

End of life manual availability	End of Life Information
---------------------------------	-----------------------------------------

Take-back	No
-----------	----