

# Product datasheet

Specifications



EcoStruxure Micro Data Center, with 43U rack, 6kVA Easy UPS, basic PDU, Netbotz, RM cooling, 230V, 50Hz, unassembled, 2180H x 800W x1200D mm

MDC43UECSI

## Overview

<b>Presentation</b>	Complete IT infrastructure within a stand-alone, secure enclosure for protection of critical business applications. Include: power distribution, UPS, and environmental monitoring
<b>Lead time</b>	Usually in Stock

## Main

<b>Product or component type</b>	Micro data center
<b>Assembly style</b>	Customer assembly

## Complementary

<b>Network frequency</b>	50 Hz
--------------------------	-------

## Environment

<b>Ambient air temperature for storage</b>	-20...40 °C
--	-------------

## Physical

<b>Depth</b>	1200 mm
<b>Number of rack unit</b>	43U
<b>Net weight</b>	360 kg
<b>Mounting mode</b>	Not rack-mountable
<b>Mounting preference</b>	No preference
<b>Maximum mounting depth</b>	750 mm
<b>Baying included</b>	No

## Conformance

<b>Product certifications</b>	EMC
-------------------------------	-----

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1

## Contractual warranty

<b>Warranty (in months)</b>	12
-----------------------------	----



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
SCIP Number	6775b500-5644-4733-95ca-f2eea2ece74e
REACH Regulation	<a href="#">REACH Declaration</a>

### Energy efficiency

Energy Efficiency Optimized	Energy efficient system
-----------------------------	-------------------------

## Use Again

### Repack and remanufacture

Take-back	No
-----------	----

Image of product / Alternate images

Alternative

---

