

# Product datasheet

Specifications



EcoStruxure Micro Data Center, with 43U rack, 6kVA Smart UPS, basic PDU, Netbotz, RM cooling, unassembled, 230V, 50Hz, 2180H x 800W x 1200D mm

MDC43USCSI

## Overview

Lead time Usually in Stock

## Main

Product or component type Micro data center

Assembly style Customer assembly

## Complementary

Network frequency 50 Hz

## Environment

Ambient air temperature for storage -20...40 °C

## Physical

Depth 1200 mm

Number of rack unit 43U

Net weight 360 kg

Mounting mode Not rack-mountable

Mounting preference No preference

Maximum mounting depth 750 mm

Baying included No

## Packing Units

Unit Type of Package 1 PCE

Number of Units in Package 1 1

## Contractual warranty

Warranty (in months) 12

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

#### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant with Exemptions**

#### Energy efficiency

Energy Efficiency Optimized **Energy efficient system**

### Use Again

#### Repack and remanufacture

Take-back **No**

Image of product / Alternate images

Alternative

---

