

Product datasheet

Specifications



Wired, Sensor, NetBotz, Vibration,
12 ft

NBES0306

Overview

| | |
|--------------|---|
| Presentation | Universal Sensor that detects vibration in racks that may indicate movement of IT assets. |
|--------------|---|

| | |
|-----------|------------------------------|
| Lead time | Usually Ships within 2 Weeks |
|-----------|------------------------------|

Main

| | |
|------------------|---------|
| Range of product | Netbotz |
|------------------|---------|

| | |
|---------------------------|------------------|
| Product or component type | Vibration sensor |
|---------------------------|------------------|

General

| | |
|--------------------|------------|
| Provided equipment | Cable ties |
|--------------------|------------|

Physical

| | |
|-------|---------|
| Depth | 12.1 cm |
|-------|---------|

| | |
|--------|--------|
| Height | 2.5 cm |
|--------|--------|

| | |
|------------|---------|
| Net weight | 0.13 kg |
|------------|---------|

| | |
|-------|---------|
| Width | 11.7 cm |
|-------|---------|

Environmental

| | |
|---------------------------------------|-----------|
| Ambient air temperature for operation | 0...45 °C |
|---------------------------------------|-----------|

| | |
|--------------------|--------------|
| Operating altitude | 0...10000 ft |
|--------------------|--------------|

| | |
|-------------------|----------|
| Relative humidity | 0...95 % |
|-------------------|----------|

| | |
|-------------------------------------|-------------|
| Ambient air temperature for storage | -15...65 °C |
|-------------------------------------|-------------|

| | |
|------------------|-------------|
| Storage altitude | 0...15240 m |
|------------------|-------------|

| | |
|---------------------------|----------|
| Storage Relative Humidity | 0...95 % |
|---------------------------|----------|

Packing Units

| | |
|------------------------|-----|
| Unit Type of Package 1 | PCE |
|------------------------|-----|

| | |
|------------------------------|---|
| Number of Units in Package 1 | 1 |
|------------------------------|---|

| | |
|------------------|--------|
| Package 1 Height | 4.8 cm |
|------------------|--------|

| | |
|-----------------|---------|
| Package 1 Width | 23.2 cm |
|-----------------|---------|

| | |
|------------------|---------|
| Package 1 Length | 16.4 cm |
|------------------|---------|

| | |
|------------------|----------|
| Package 1 Weight | 0.249 kg |
|------------------|----------|

Contractual warranty

Warranty (in months)

24



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

| | |
|--|-----------------------------------|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant with Exemptions |
| REACH Regulation | REACH Declaration |

Use Again

Repack and remanufacture

| | |
|------------|---|
| Take-back | No |
| WEEE Label | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |

Image of product / Alternate images

Alternative

