

Product datasheet

Specifications

Schneider OffGrid Portable Solar Panel, 100W



PSP100

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Range of product	Schneider OffGrid
Product or component type	Solar panel
Number of output connectors	(1) DC7909, 20.63 V ,DC, 4.85 A(100 W)

Complementary

Height	55 mm
Length	42 cm
Width	385 mm
Net weight	3.8 kg
Provided equipment	User manual
IP degree of protection	IP65
Charging temperature	-40...80 °C
	-40...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.5 cm
Package 1 Width	48.5 cm
Package 1 Length	43.5 cm
Package 1 Weight	4.7 kg
SCC14	10731304736810

Contractual warranty

Warranty (in months)	24
----------------------	----

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration

Energy efficiency

Energy Efficiency Optimized	Energy efficient product
-----------------------------	--------------------------

Use Again

Repack and remanufacture

Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

