

# Product datasheet

Specifications



## APC Replacement Battery Cartridge #34 with 2 Year Warranty

RBC34

### Overview

Lead time	Usually in Stock
-----------	------------------

### Main

Product or component type	Replacement battery cartridge
Number of rack unit	1U
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	All required connectors Battery recycling guide Metallic battery tray or enclosure Reusable packaging Installation guide

### Batteries & Runtime

Number of battery free slots	0
Number of battery filled slots	0
Number of battery replacement quantity	1

### Physical

Colour	Black
Height	43 mm
Width	173 mm
Depth	440 mm
Net weight	6.36 kg
Mounting mode	Not rack-mountable

### Environmental

Ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 %
Ambient air temperature for storage	-15...45 °C
Storage altitude	0...15240 m
Storage Relative Humidity	0...95 %

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.2 cm
Package 1 Width	29.4 cm
Package 1 Length	56.7 cm
Package 1 Weight	7.05 kg

## Contractual warranty

Warranty (in months)	24
----------------------	----

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Total lifecycle Carbon footprint	44

Use Better	
Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
[EU RoHS Directive](#)	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	[REACH Declaration](#)
Energy efficiency	
Energy Efficiency Optimized	Energy efficient product
Use Again	
Repack and remanufacture	
End of life manual availability	[End of Life Information](#)
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

