

Product datasheet

Specifications



APC SERVICE BYPASS PDU, 230V 10AMP W/ (6) IEC C13



SBP1500RMI

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Main Input Voltage	230 V
Product or component type	Bypass kit
Main Output Voltage	230 V
Input Connection Type	IEC 60320 C14
Number of rack unit	2U
Cable length	2.0 m
Number of cables	1
Provided equipment	User manual Rack mounting brackets
Range of product	Maintenance Bypass Panels

Physical

Colour	Black
Height	89 mm
Width	432 mm
Depth	76 mm
Net weight	2 kg
Mounting location	Front
Mounting preference	No preference
Mounting mode	Rack-mounted

Input

Network frequency	50/60 Hz
permissible voltage	220...240 V
Max line current	10 A
Input current limits	10 A
Load capacity	1500 VA
Power factor	0...1

Output

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Max current draw	10 A
Number of power socket outlets	6 IEC 60320 C13 1 IEC Jumpers
Number of power socket outlets	6
Protection type	Circuit breaker
Power cable length	1.2 m
Efficiency	99 %

Conformance

Product certifications	VDE
Standards	EN/IEC 62040-1:2019/A11:2021 EN/IEC 62040-2:2006/AC:2006 EN/IEC 62040-2:2018

Environmental

Ambient air temperature for operation	0...40 °C
Relative humidity	0...95 %
Operating altitude	0...15000 ft
Ambient air temperature for storage	-15...45 °C
Storage Relative Humidity	0...95 %
Storage altitude	0...15240 m

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.1 cm
Package 1 Width	46.3 cm
Package 1 Length	29.5 cm
Package 1 Weight	3.5 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	56
Package 2 Height	113 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	195.608 kg

Contractual warranty

Warranty (in months)	24
----------------------	----


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	7a19864b-8bf5-40ac-85e8-7678b0910185
REACH Regulation	REACH Declaration

Use Again



 Repack and remanufacture	
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

