

# Product datasheet

Specifications



## APC Smart-UPS SRT 2 Post Mounting Rail Kit for Smart-UPS SRT

SRTRK3

### Overview

Presentation	Accessory solutions to tailor the Smart-UPS to meet your specific needs.
Lead time	Usually in Stock

### Main

Product or component type	Mounting kit
Provided equipment	Installation guide Mounting hardware Rack mounting brackets
Range of product	Smart-UPS Accessories

### Physical

Height	92 mm
Width	260 mm
Depth	190 mm
Net weight	3.85 kg
Mounting mode	Not rack-mountable

### Environmental

Ambient air temperature for operation	-76...140 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 % non-condensing
Ambient air temperature for storage	-76...140 °C
Storage altitude	0...3048 m

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.8 cm
Package 1 Width	21.6 cm
Package 1 Length	28.5 cm
Package 1 Weight	4.2 kg

### Contractual warranty

---

**Warranty (in months)**

24



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Environmental footprint

Total lifecycle Carbon footprint	830
----------------------------------	-----

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	<a href="#">REACH Declaration</a>

## Use Again

### Repack and remanufacture

End of life manual availability	<a href="#">End of Life Information</a>
Take-back	Yes
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

