



# APC Easy UPS On-Line SRV Battery Pack (1kVA) for Extended Runtime Model 36V, 648VAh

SRV36BP-9A

## Overview

Lead time Usually in Stock

# Main

Product or component type	External battery pack	
Battery type	Lead-acid battery	
Provided equipment	User manual Battery cable	
Range of product	Easy UPS On-Line	

# **Batteries & Runtime**

Number of battery blocks per string	3
Device mounting	Floor mounted
Number of battery filled slots	1
Number of battery free slots	0
Battery voltage	36 V

# **Physical**

Colour	Black
Height	238 mm
Width	145 mm
Depth	400 mm
Net weight	19.6 kg
Mounting mode	Not rack-mountable
USB compatible	No

## Conformance

Product certifications	CE	
	UKCA	
	EAC	
	EN/IEC 62040-1	

## **Environmental**

Ambient air temperature for operation	040 °C
Relative humidity	095 % non-condensing

Operating altitude	03000 m	
Ambient air temperature for storage	-1540 °C	
Storage Relative Humidity	095 % non-condensing	
Storage altitude	0 15000 m	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	35.5 cm
Package 1 Width	52.5 cm
Package 1 Length	23.5 cm
Package 1 Weight	20.8 kg

# **Contractual warranty**

Warranty (in months)



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Total lifecycle Carbon footprint	95	

#### Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	5ac12844-46eb-471b-94f1-318e06a714a6
REACh Regulation	REACh Declaration
᠃ Energy efficiency	
Energy Efficiency Optimized	Energy efficient product

## **Use Again**

○ Repack and remanufacture	
End of life manual availability	End of Life Information
Take-back	Yes

Image of product / Alternate images

## **Alternative**



