

Product datasheet

Specifications



APC SYMMETRA LX EXTENDED RUN TOWER W/9 SYBT5, 230V

SYAXR9B9I

Overview

Presentation	Extended run power protection for servers, networks, and telecommunications
Lead time	Usually Ships within 2 Weeks

Main

Product or component type	Battery accessory
Number of cables	1
Battery type	Lead-acid battery
Provided equipment	Installation guide User manual
Range of product	Symmetra Battery Systems

Batteries & Runtime

Battery location	Battery cabinet
Number of battery free slots	0
Number of battery filled slots	9
Battery manufacturer	Panasonic
Device mounting	Enclosed battery cabinet
Battery voltage	120 V
Number of battery replacement quantity	9

Physical

Colour	Black
Height	602 mm
Width	483 mm
Depth	726 mm
Net weight	349.09 kg
Mounting mode	Not rack-mountable

Conformance

Standards	EN 50091-1 EN 50091-2 EN 60950 IEC 60950
-----------	---

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Product certifications	BSMI VCCI VDE
-------------------------------	---------------------

Environmental

Ambient air temperature for operation	0...40 °C
Operating altitude	0...10000 ft
Relative humidity	0...95 %
Ambient air temperature for storage	-15...45 °C
Storage altitude	0...4572 m
Storage Relative Humidity	0...95 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	91.4 cm
Package 1 Width	59.9 cm
Package 1 Length	99.7 cm
Package 1 Weight	369.673 kg

Contractual warranty

Warranty (in months)	24
-----------------------------	----





Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	8519b6fb-f7a9-44f8-be44-5dee68362126
REACH Regulation	REACH Declaration
 Energy efficiency	
Energy Efficiency Optimized	Energy efficient product

Use Again



 Repack and remanufacture	
Removable battery	User replaceable
Take-back	Yes
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative



