

# Product datasheet

Specifications



## APC KVM 2G, Analog, 1 Local User, 16 ports



KVM0116A

### Overview

Lead time Usually in Stock

### Main

Product or component type Switch

Number of rack unit 1U

Provided equipment CD with software  
Installation guide  
Rack mounting brackets

### Physical

Colour Black

Height 43 mm

Width 424 mm

Depth 188 mm

Net weight 2.4 kg

Mounting location Front

Mounting preference No preference

Mounting mode Not rack-mountable

### Conformance

Product certifications cUL listed  
C-Tick  
CE  
EAC  
TAA compliance  
UL-AR  
VCCI class A  
VDE

Standards FCC part 15 class A  
ICES-003  
UL 60950-1

### Environmental

Ambient air temperature for operation 0...50 °C

Operating altitude 0...10000 ft

Relative humidity 0...80 %

Ambient air temperature for storage -20...60 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

---

Storage altitude	0...15240 m
------------------	-------------

---

Storage Relative Humidity	0...80 %
---------------------------	----------

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	14.6 cm
------------------	---------

---

Package 1 Width	33 cm
-----------------	-------

---

Package 1 Length	61.9 cm
------------------	---------

---

Package 1 Weight	3.9 kg
------------------	--------

## Contractual warranty

---

Warranty (in months)	24
----------------------	----



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

### Use Better

 <b>Materials and Substances</b>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant with Exemptions
REACH Regulation	<a href="#">REACH Declaration</a>
 <b>Energy efficiency</b>	
Energy Efficiency Optimized	Energy efficient product

### Use Again



 <b>Repack and remanufacture</b>	
End of life manual availability	<a href="#">End of Life Information</a>
Take-back	No
WEEE Label	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Image of product / Alternate images

Alternative

---

